



> REMOTE AREA LIGHTING SYSTEM (RALS)


The new Advanced Area Lighting Group from Pelican is bringing several dynamic products to the market, offering up to 56 hours of bright LED light.*

The product range starts with the compact single head 9430 that fits easily into confined spaces and extends to the four head 9470 which is capable of turning night into day. All units employ a silent, rechargeable sealed battery freeing you to work anywhere on or off the grid, no generator necessary.


Each RALS is designed with LED technology to provide a better quality of light, high reliability and low energy consumption. The result is an energy efficient lighting solution with low long-term operating and maintenance costs.

MODEL	LIGHT HEADS	BURN TIME* (PER HEAD/CONSECUTIVE)
9430	1	15
9450B	1	17
9460	2	14/28
9470	4	14/56


* Stated burn times based on low power setting and consecutive head activation. High power and simultaneous head use will lower total burn time.



All contents stow inside a Pelican Protector Case



Low battery warning system and waterproof activation switch



Direct light where it is needed with fully articulating head

9430



SPECIFICATIONS

Light Source	24x High flux LEDs
Beam Spread	90°
Batteries	12v Rechargeable, Sealed
Tested Lumen Value	2000 (High) 1000 (Low)
Watts	24
Battery Burn Time	15 hrs. (Low) 8 hrs. (High)
Dimensions	15.75" x 7.88" x 9" (40 x 20 x 23 cm)
Extended Height	32" (82 cm)
Weight	22 lbs. (9.8kg)
Colors	■ ■



9450B



SPECIFICATIONS

Light Source	16x LEDs
Beam Spread	90°
Batteries	Rechargeable Sealed Lead Acid
Tested Lumen Value	1280
Watts	25
Battery Burn Time	17 hrs.
Dimensions	22.00" x 13.81" x 9.00" (55.9 x 35.1 x 22.9 cm)
Extended Height	83" (210 cm)
Weight	46 lbs. (20.87 kg)
Colors	■ ■ ■



Features include a 12 volt auxiliary socket, battery status and charge indicator.



9460



SPECIFICATIONS

Light Source	48x High flux LEDs
Beam Spread	90°
Batteries	12v Rechargeable, Sealed
Tested Lumen Value	Per Head: 2000 (High) 1000 (Low)
Watts	24 per Head
Battery Burn Time	14 hrs. (Low) 7 hrs. (High) per Head
Dimensions	22.00" x 13.81" x 9.00" (55.9 x 35.1 x 22.9 cm)
Extended Height	71" (180 cm)
Weight	50.71 lbs. (23kg)
Colors	■ ■

9470



SPECIFICATIONS

Light Source	96x High flux LEDs
Beam Spread	90°
Batteries	12v Rechargeable, Sealed
Tested Lumen Value	Per Head: 2000 (High) 1000 (Low)
Watts	24 per Head
Battery Burn Time	14 hrs. (Low) 7hrs. (High) per Head
Dimensions	24.71" x 19.58" x 11.93" (62.7 x 49.7 x 30.3 cm)
Extended Height	73" (185 cm)
Weight	88.18 lbs. (40 kg)
Colors	■ ■

ACCESSORIES

9430 RALS ACCESSORIES

9432
9430 BACK PACK



9431
9430 TEAR-OFF BACK PACK



9434
9430 SPARE LED HEAD
AND T-BAR



9430T
9430 TRIPOD
AND EXTENSION CORD*

(*LED HEAD NOT INCLUDED)



9430 AND 9460 RALS ACCESSORIES

9430F
9430 AND 9460 RALS
CHARGER



9436
9430 AND 9460 12/24V
VEHICLE CHARGER



9450 RALS ACCESSORIES

9453DL
9450 REPLACEMENT
DIFFUSER LENS



9453RL
9450 RED DIFFUSER LENS



9455E
9450 220V CHARGER
CABLE



9456
9450 12V VEHICLE CHARGER



©2008 Pelican Products, Inc. All trademarks and logos displayed herein are registered and unregistered trademarks of Pelican Products, Inc. and others.

Part. No. 0030-000-700 0C/08



PELICAN PRODUCTS, INC.
23215 Early Avenue, Torrance, CA 90505 USA
(TOLL FREE) 800.473.5422 • Tel 310.326.4700 • Fax 310.326.3311
WWW.PELICAN.COM

**PELICAN LIFETIME
GUARANTEE**